

Marjane



Marjane was founded on three basic tenets: quality, style, and affordability in 1964. Marjane has been manufacturing and supplying high quality and stylish Safety Shoes for men and women since 1980. We use leather and other components of best quality so that, you can be sure of getting the best possible comfortable and fashionable products. We believe in sourcing, designing and manufacturing the best safety shoes by different technologies in most reasonable price

By investing in Marjane, you are investing in the Indian economy.

ABOUT KANPUR

Our shoes are manufactured by well equipped machines and local folks who have been making leather shoes for generations. Kanpur is exceptionally famous for its leather production and leather products since British rule. A walk through downtown Kanpur not only brings you into contact with one of the largest communities of skilled leather workers in the world, but also the undeniable scent of leathers itself.

MANUFACTURING CAPACITY

Injection Shoes (DESMA): 2700 pairs/Day

Pouring Shoes : 700 pairs/Day

Stick-On Shoes: 2000 pairs/Day

Shoe Upper: 5000 pairs/Day

CONTACT

Call/Message: +91 9839 1040 13


Skype: Marjane Group

E-mail: info@groupmarjane.com

Website:

www.groupmarjane.com

High Profile Safety Shoe



SPECIFICATIONS / LEGEND



Steel Toe cap



Composite Toe cap



CI Insulating sole
(against cold)



Anti-slip



Hydrolysis resistance
sole & upper



Heel energy
absorption



ORO Hydrocarbons
resistance sole



Anti-static Shoe



Pierce Proof layer



HRO Insulation
sole (against heat)

SAFETY CATEGORIES



Dry environments with electrostatic discharges and high risk of toe crushing.



Dry environments with electrostatic discharges and high risk of toe crushing; sharp edges, nails, chips and blunt objects.



Very humid environments with a high level of hydrocarbons and high risk of toe crushing.



Very humid environments with a high level of hydrocarbons and high risk of toe crushing; sharp edges, nails, chips and blunt objects.

BRANDS



SHADEED



Injection Series



MARJANE

SINCE 1964



AL/0202

www.groupmarjane.com

Article Code .: AL0202

Characteristic .: Detail

Available Size .: 37-47

Type .: Ankle Boot

Colour .: Black

Construction .: Direct Injection
Process (Desma)

Upper .: Buff Celtic Print Black
(1.8 - 2.0 mm)

Lining .: Syn. Spacer Red

Vamp Lining .: Syn. Black/White
PEIIII

Sole .: Dual Density PU (Available
Single Density)

Category.: S1P (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with
EVA

Insole: Antistatic Non-Woven
As per EN Standard

Toe Cap: Steel as per EN
Standard

Mid Plate: Steel as per EN
Standard (Optional)

Counter/Stiffner: Heat
Activated Moulded

Thread: Nylon

Eyelets/D-Rings: Rust Proof

Laces: Nylon Black-Red Round



MARJANE

SINCE 1964



AL/0303

www.groupmarjane.com

Article Code .: AL0303

Characteristic .: Detail

Available Size .: 37-47

Type .: Derby

Colour .: Black

Construction .: Direct Injection
Process (Desma)

Upper .: Buff Celtic Print Black (1.8 -
2.0 mm)

Lining .: Syn. Spacer Red

Vamp Lining .: Syn. Black/White
PEIIII

Sole .: Dual Density PU (Available
Single Density)

Category.: S1P (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with
EVA

Insole: Antistatic Non-Woven
As per EN Standard

Toe Cap: Steel as per EN
Standard

Mid Plate: Steel as per EN
Standard (Optional)

Counter/Stiffner: Heat
Activated Moulded

Thread: Nylon

Eyelets/D-Rings: Rust Proof

Laces: Nylon Black-Red Round



AL/0404

www.groupmarjane.com

Article Code .: AL0404

Characteristic .: Detail

Available Size .: 37-47

Type .: Ankle Boot

Colour .: Brown

Construction .: Direct Injection

Process (Desma)

Upper .: Buff Nubuck Oil Pull-Up

Brown (1.8 - 2.0 mm)

Lining .: Syn. Brown

Codura Lining in Colloar/Tongue,

Syn. Lining- Cartigliano 2.0-2.2mm

Black

Vamp Lining .: Syn. Black/White

PEIIII

Sole .: Dual Density PU (Available

Single Density)

Category.: S1 (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with
EVA

Insole: Antistatic Non-Woven
As per EN Standard

Toe Cap: Steel as per EN
Standard

Mid Plate: Steel as per EN
Standard (Optional)

Counter/Stiffner: Heat
Activated Moulded

Thread: Nylon

Hooks/Eyelets: Rust Proof

Laces: Nylon Black-Brown
Round



MARJANE

SINCE 1964



AL/0606

www.groupmarjane.com

Article Code .: AL0606

Characteristic .: Detail

Available Size .: 37-47

Type .: Derby

Colour .: Blue

Construction .: Direct Injection
Process (Desma)

Upper .: Buff Split Suede (1.8 - 2.0
mm)

Lining .: Syn. Spacer Grey

Vamp Lining .: Syn. Black/White
PEIIII

Sole .: Dual Density PU (Available
Single Density)

Category.: S1 (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with
EVA

Insole: Antistatic Non-Woven
As per EN Standard

Toe Cap: Steel as per EN
Standard

Mid Plate: Steel as per EN
Standard (Optional)

Counter/Stiffner: Heat
Activated Moulded

Thread: Nylon

D-Rings/Eyelets: Rust Proof

Laces: Nylon Blue/Grey Round



MARJANE

SINCE 1964



AL/0707

www.groupmarjane.com

Article Code .: AL0707

Characteristic .: Detail

Available Size .: 37-47

Type .: Derby

Colour .: Grey

Construction .: Direct Injection

Process (Desma)

Upper .: Buff Split Suede (1.8 - 2.0 mm) & Gray Suede

Lining .: Codura Black, Syn. Grey

Vamp Lining .: Syn. Black/White
PEIIII

Sole .: Dual Density PU (Available
Single Density)

Category.: S1 (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with
EVA

Insole: Antistatic Non-Woven

As per EN Standard

Toe Cap: Steel as per EN
Standard

Mid Plate: Steel as per EN
Standard (Optional)

Counter/Stiffner: Heat
Activated Moulded

Thread: Nylon

Hooks/Eyelets: Rust Proof

Laces: Nylon Blue/Grey Round



MARJANE

SINCE 1964



AL/0808

www.groupmarjane.com

Article Code .: AL0808

Characteristic .: Detail

Available Size .: 37-47

Type .: Ankle Boot

Colour .: Black

Construction .: Direct Injection

Process (Desma)

Upper .: Buff Mina Print Black (1.8 - 2.0 mm)

Lining .: Syn. Spacer Red-QTR/Tongue

Codura in Collar/Tongue, Fashion-Syn. Silver

Vamp Lining .: Syn. Black/White PEIII

Sole .: Dual Density PU (Available Single Density)

Category.: S1 (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with EVA

Insole: Antistatic Non-Woven As per EN Standard

Toe Cap: Steel as per EN Standard

Mid Plate: Steel as per EN Standard (Optional)

Counter/Stiffner: Heat Activated Moulded

Thread: Nylon

Hooks/D-Rings: Rust Proof

Laces: Nylon Black-Red Round



MARJANE

SINCE 1964



AL/0909

www.groupmarjane.com

Article Code .: AL0909

Characteristic .: Detail

Available Size .: 37-47

Type .: Ankle Boot

Colour .: Brown

Construction .: Direct Injection
Process (Desma)

Upper .: Buff Nubuck Oil Pull-Up
Brown (1.8 - 2.0 mm)

Lining .: Syn. Cambrelle Brown
Buff Brown (0.9 – 1.1 mm)

Sole .: Dual Density PU (Available
Single Density)

Category.: S1 (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with
EVA

Insole: Antistatic Non-Woven
As per EN Standard

Toe Cap: Steel as per EN
Standard

Mid Plate: Steel as per EN
Standard (Optional)

Counter/Stiffener: Heat
Activated Moulded

Thread: Nylon Hooks/D-

Rings: Rust Proof Laces:
Nylon Black-Brown Round



MARJANE

SINCE 1964



AL/1010

www.groupmarjane.com

Article Code .: AL1010

Characteristic .: Detail

Available Size .: 37-47

Type .: Rigger Boot

Colour .: Orange

Construction .: Direct Injection

Process (Desma)

Upper .: Buff Barton Print (2.0 - 2.2 mm)

Lining .: Syn. Cambrelle Brown

Syn. Black/White PEIII

Sole .: Dual Density PU (Available Single Density)

Category.: S1 (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with EVA

Insole: Antistatic Non-Woven
As per EN Standard

Toe Cap: Steel as per EN
Standard

Mid Plate: Steel as per EN
Standard (Optional)

Counter/Stiffner: Heat
Activated Moulded

Thread: Nylon



MARJANE

SINCE 1964



AL/1111

www.groupmarjane.com

Article Code .: AL1111

Characteristic .: Detail

Available Size .: 37-47

Type .: Rigger Boot

Colour .: Brown

Construction .: Direct Injection

Process (Desma)

Upper .: Buff Nubuck Oil Pull-Up

Brown (2.0 - 2.2 mm)

Lining .: Syn. Fur Brown

Vamp Lining.: Syn. Fur Brown

Sole .: Dual Density PU (Available

Single Density)

Category.: S1 (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with
EVA

Insole: Antistatic Non-Woven
As per EN Standard

Toe Cap: Steel as per EN
Standard

Mid Plate: Steel as per EN
Standard (Optional)

Counter/Stiffner: Heat
Activated Moulded

Thread: Nylon

Price: € 24.00/-



IN-A0404

www.groupmarjane.com

Article Code .: IN-A0404

Characteristic .: Detail

Available Size .: 37-47

Type .: Ankle Boot

Colour .: Black

Construction .: Direct Injection

Process (Desma)

Upper .: Buff Celtic Print Black (1.8 - 2.0 mm)

Lining .: Syn. Spacer Yellow

Vamp Lining .: Syn. Black/White PEIII

Sole .: Dual Density PU (TPU

Available in Dual Density)

Category.: S1P (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with EVA

Insole: Antistatic Non-Woven As per EN Standard

Toe Cap: Steel as per EN Standard

Mid Plate: Steel as per EN Standard (Optional)

Counter/Stiffner: Heat Activated Moulded

Thread: Nylon

Eyelets/D-Rings: Rust Proof

Laces: Nylon Black-Yellow Round

Price: € 8.70/-



MARJANE

SINCE 1964



IN-A0101

www.groupmarjane.com

Article Code .: IN-A0101

Characteristic .: Detail

Available Size .: 39-45

Type .: Derby

Colour .: Black

Construction .: Direct Injection

Process (Desma)

Upper .: Buff Celtic Print Black (1.8 - 2.0 mm)

Lining .: Codura, Syn. Orange

Vamp Lining .: Syn. Black/White PEIII

Sole .: Dual Density PU & TPU
(Available Dual Density TPU)

Category.: S1P (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with EVA

Insole: Antistatic Non-Woven

As per EN Standard

Toe Cap: Steel as per EN Standard

Mid Plate: Steel as per EN Standard (Optional)

Counter/Stiffner: Heat Activated Moulded

Thread: Nylon Eyelets/D-

Rings: Rust Proof Laces:

Nylon Black-Orange Round



IN-A0202

www.groupmarjane.com

Article Code .: IN-A0202

Characteristic .: Detail

Available Size .: 37-47

Type .: Ankle Boot

Colour .: Black

Construction .: Direct Injection

Process (Desma)

Upper .: Buff Celtic Print Black (1.8 - 2.0 mm)

Lining .: Syn. Spacer Black

Vamp Lining .: Syn. Black/White
PEIIII

Sole .: Dual Density PU (Available
TPU/TPU)

Category.: S2 (Available S1, S3)

Features Description .:

Sock: Fabric Laminated with EVA

Insole: Antistatic Non-Woven As
per EN Standard

Toe Cap: Composite as per EN
Standard

Mid Plate: Non-Metallic as per
EN Standard

Counter/Stiffner: Heat Activated
Moulded

Thread: Nylon

Eyelets/D-Rings: Not used

Zip: Black Rust Proof



IN-A0303

www.groupmarjane.com

Article Code .: IN-A0303

Characteristic .: Detail

Available Size .: 37-47

Type .: Long Boot

Colour .: Black

Construction .: Direct Injection
Process (Desma)

Upper .: Buff Montana Print Black
(2.0 - 2.2 mm)

Lining .: Syn. Fur Brown

Vamp Lining .: Syn. Black/White
PEIIII

Sole .: Dual Density PU (Available
TPU/TPU)

Category.: S2 (Available S1, S3)

Features Description .:

Sock: Fabric Laminated with EVA

Insole: Antistatic Non-Woven As
per EN Standard

Toe Cap: Steel as per EN
Standard

Mid Plate: Steel as per EN
Standard

Counter/Stiffner: Heat Activated
Moulded

Thread: Nylon



MARJANE

SINCE 1964



IN-A0505

www.groupmarjane.com

Article Code .: IN-A0505

Characteristic .: Detail

Available Size .: 37-47

Type .: Boot

Colour .: Black

Construction .: Direct Injection
Process (Desma)

Upper .: Buff Polo Print Black (1.8 -
2.0 mm)

Lining .: Syn. Fur Black

Vamp Lining .: Syn. Black/White
PEIIII

Sole .: Dual Density PU (Available
TPU/TPU)

Category.: S1 (Available S2, S3)

Features Description .:

Sock: Fabric Laminated with EVA

Insole: Antistatic Non-Woven As
per EN Standard

Toe Cap: Composite as per EN
Standard

Mid Plate: Metallic as per EN
Standard (Optional)

Counter/Stiffner: Heat Activated
Moulded

Thread: Nylon

Eyelets/D-Rings: Not used

Laces: Nylon Black Round



MARJANE

SINCE 1964

Pouring Series



POD/02

www.groupmarjane.com

Article Code .: PO-0202

Characteristic .: Detail

Available Size .: 39-45

Type .: Derby

Colour .: Black

Construction .: Pouring Process

Upper .: Buff Black (1.8 - 2.0 mm)

Lining .: Syn. Spacer Orange

Sole .: Single Density

Category.: S1

Features Description .:

Sock: Fabric

Insole: Antistatic Non-Woven

Toe Cap: Steel

Thread: Nylon

Eyelets: Rust Proof

Laces: Nylon Black Round



POA/01

www.groupmarjane.com

Article Code .: POA/01

Characteristic .: Detail

Available Size .: 39-45

Type .: Ankle

Colour .: Black

Construction .: Pouring Process

Upper .: Buff Black (1.8 - 2.0 mm)

Lining .: Syn. Spacer Orange

Sole .: Dual Density

Category.: S1

Features Description .:

Sock: Fabric

Insole: Antistatic Non-Woven

Toe Cap: Steel

Thread: Nylon

Eyelets: Rust Proof

Laces: Nylon Black Round



MARJANE

SINCE 1964



POD/03

www.groupmarjane.com

Article Code .: POD/03

Characteristic .: Detail

Available Size .: 39-45

Type .: Derby

Colour .: Light Brown

Construction .: Pouring Process

Upper .: Buff Split (1.6 - 1.8 mm)

Lining .: Syn. Spacer Orange

Sole .: Single Density

Category.: S1

Features Description .:

Sock: Fabric

Insole: Antistatic Non-Woven

Toe Cap: Steel

Thread: Nylon

Eyelets: Rust Proof

Laces: Nylon Black Round



ST/0101

www.groupmarjane.com

Article Code .: ST/0101

Characteristic .: Detail

Available Size .: 39-45

Type .: Derby

Colour .: Black

Construction .: Stick-On Process &
Hand Stitched

Upper .: Buff Grain (1.8 - 2.0 mm)

Lining .: Syn. Cambril Black

Sole : TPR

Category.: S1

Features Description .:

Sock: Fabric

Insole: Antistatic Non-Woven

Toe Cap: Steel

Thread: Nylon

Eyelets: Rust Proof

Laces: Nylon Black Flat



MARJANE

SINCE 1964



ST/0202

www.groupmarjane.com

Article Code .: ST/0202

Characteristic .: Detail

Available Size .: 39-45

Type .: Derby

Colour .: Black

Construction .: Stick-On Process &
Hand Stitched

Upper .: Cow Grain (1.8 - 2.0 mm)

Lining .: Syn. Cambril Black

Sole : TPR

Category.: S1

Features Description .:

Sock: Fabric

Insole: Antistatic Non-Woven

Toe Cap: Steel

Mid Plate: Optional

Thread: Nylon

Eyelets: Rust Proof

Laces: Nylon Black Flat



MARJANE

SINCE 1964



ST/0303

www.groupmarjane.com

Article Code .: ST/0303

Characteristic .: Detail

Available Size .: 39-45

Type .: Derby

Colour .: Blue

Construction .: Stick-On Process &
Partly Hand Sticked

Upper .: Cow Grain (1.8 - 2.0 mm)

Lining .: Goat Brown Leather

Sole : PU

Category.: S1

Features Description .:

Sock: Fabric

Insole: Leather

Toe Cap: Composite

Mid Plate: Optional

Thread: Nylon

Eyelets: Rust Proof

Laces: Nylon Black Flat



MARJANE

S I N C E 1 9 6 4